

06/23/00

JC714 U.S. PTO
09/602805

06/23/00

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications
under 37 CFR 1.53(b))

Title of Invention

Method and System for Creating An
Embedded Search Link Document

Named Inventor(s)

Eric McKee Fisk
Dean Alan Slawson

Attorney Docket

13237-2565/MS 126599.1

Express Mail Label No.

EL519569747US

APPLICATION ELEMENTS

1. ☒ Fee Transmittal Form
(Submit an original, and a duplicate for fee processing)
2. ☒ Specification, Claims,
and Abstract Total Pages 36
3. ☒ Drawings Total Sheets 9
4. Oath or Declaration Total Pages
 - a. ☒ Newly executed (original or copy)
 - b. ☐ Copy from prior application (37 CFR 1.63(d))
(for continuation/divisional with Box 17
completed)
[Note Box 5 Below]
 - (i) ☐ DELETION OF INVENTOR(S)
Signed statement attached
deleting inventor(s) named in the
prior application, see 37 CFR
1.63(d)(2) and 1.33(b).
5. ☐ Incorporation by Reference
(usable if Box 4b is checked)
The entire disclosure of the prior application, from
which a copy of the oath or declaration is supplied
under Box 4b, is considered as being part of the
disclosure of the accompanying application and is
hereby incorporated by reference therein.
6. ☐ Microfiche Computer Program (Appendix)
7. ☐ Nucleotide and/or Amino Acid Sequence
Submission (if applicable, all necessary)
 - a. ☐ Computer Readable Copy
 - b. ☐ Paper Copy (identical to computer copy)
 - c. ☐ Statement verifying identity of
above copies

Assistant Commissioner for Patents
ADDRESS TO: Box Patent Application
Washington, D.C. 20231


ACCOMPANYING APPLICATION PARTS

8. ☒ Assignment:
 - a. ☒ Assignment Papers (cover sheet &
document(s))
 - b. ☐ Assignment is of record in parent
application No. _____
9. ☐ 37 CFR 3.73(b) Statement
(when there is an assignee)
 - ☐ Power of Attorney by assignee
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement (IDS)
PTO-1449
 - ☐ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
14. ☐ Small Entity Statement(s)
 - ☐ Statement filed in prior application
Status still proper and desired
15. ☐ Certified Copy of Priority Document(s)
16. ☐ Other: _____

17. If a **CONTINUING APPLICATION**, check appropriate box and supply the requisite information:
☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No: _____

18. CORRESPONDENCE ADDRESS:

S. Craig Hemenway
JONES & ASKEW, LLP
2400 Monarch Tower
3424 Peachtree Road, N.E.
Atlanta, Georgia 30326

By:  Reg. No. 44,759
Date: June 23, 2000
Telephone: 404-949-2400
Facsimile: 404-949-2499

10

METHOD AND SYSTEM FOR CREATING AN EMBEDDED SEARCH LINK DOCUMENT

15

TECHNICAL FIELD

The invention relates generally to the field of information searching and analysis, and more particularly to an embedded search link document generation system for an Internet access-enabled personal computer.

20

BACKGROUND OF THE INVENTION

Early attempts at cataloging information resulted in inventions such as the card catalog, the Dewey Decimal system, and the index. With the advent of electronic storage, advances such as the database and online indexing were invented. A common method for retrieving relevant information is embodied in the form of a World Wide Web hyperlink. Certain websites, in response to submitted search criteria, will retrieve relevant web pages from the Internet and submit hyperlinks leading to those web pages to a user.

25
30

However, a user reading a specific document, who wishes to find information related to the contents of the document, must locate a website containing a search engine, formulate a query, submit the query, and wade through irrelevant documents sorted only by keyword in order to find truly useful information. In many cases, properly submitting a search to capture an underlying concept is extremely difficult with a

35

5 modern Internet search engine. Further, a user may waste a colossal
amount of time formulating the search, locating an appropriate search
engine, and wading through the plethora of results before desired
information is located. Additionally, the search results returned by an
Internet search engine may bear little or no relevance to the points raised
10 by the document author, either due to limitations in the engine or
difficulty in formulating the search.

In order to provide more direct access to related information,
document authors often include in their document a hyperlink to other
documents. This methodology also has drawbacks. If the target
15 hyperlink (also known as a "uniform resource locator", or "URL") is
removed from the web, the link will point to a site that no longer exists.
Additionally, links can only reference a single target, often requiring the
author to devise a separate web page that is simply a list of hyperlinks to
related sites. The final problem with direct links is that sites that are
20 unknown at the time of authoring cannot be referenced. The longer a
document remains online, the more likely its hyperlinks will become
"stale" - pointing to old or missing sites.

Thus, there is a need in the art for an improved method for quickly
retrieving information from the Internet. There is a further need for a
25 search technique which combines the strengths of the authored hyperlink
with the search engine. There is a final need for a search engine offering
up-to-date hyperlinks containing an author's knowledge of good web
resources.

30 **SUMMARY OF THE INVENTION**

Generally stated, the present invention is directed to a method and
system for building an embedded search link document. First, a
methodology is used to identify documents which fit a pattern. This
pattern matching leads to the creation of a searchable document set. The
35 search engine is then accessed using "search links" which combine the
strengths of a search engine and a user-authored hyperlink in leading a

document viewer to related documents. In the exemplary invention, the pattern being identified is a lesson plan and the search links are designed by curriculum administrators for use by teachers. The methodology could, however, be applied to other knowledge domains and the two parts used separately.

The search engine may be accessed like any other Internet search engine, but is designed to contain documents of a specific nature. Initially, documents matching a loose Boolean query are retrieved by a general search engine. These documents are then cataloged and searched iteratively using a complex Boolean query to arrive at a second set of documents fitting a more rigorous pattern. This second set of documents may then be searched based on another characteristic. A particular strength of the methodology is that it may be applied to any search engine using common Boolean query syntax.

Search links may be used to access additional documents, or other sources of information, which relate back to data in the embedded search link document. A user may create a search link through the use of a document editor. The search link embodies a specific set of search criteria which reflect concepts to which the user wishes a reader to have access. Throughout this document, the example of an administrator creating an embedded search link document in the form of an HTML curriculum standards document will be used, although embedded search link documents may come in many other forms.

Two end users are targeted by the exemplary embodiment of the invention: administrators and teachers. Typically, administrators create the embedded search link document, while teachers employ the embedded search link document in order to retrieve appropriate lesson plans.

In order to create an embedded search link document, a genesis document in HTML format is first loaded. In the exemplary embodiment, the genesis document is typically a curriculum standards document). The user then selects a location in the document where he

5 wishes to place a search link. He then specifies search criteria for the link using an advanced search engine user interface (UI). The user refines the query until a reasonable set of documents is returned.

The filtered document set is then presented to the user, who may designate one or more documents in the set as a “preferred link.”

10 Preferred link documents will always be returned when the associated embedded search link is activated. Preferred links may be designated at the time the associated embedded search link is created or modified.

Once all preferred links are designated the result is encoded and saved as the target of a hyperlink, which is referred to as a “search link”.

15 The target of the search link is a domain specific search engine along with all the search parameters the author specified (e.g. grade level, subject, keywords, preferred document URLs). Preferred document URLs are compressed and stored along with the embedded search link document while other search results are not.

20 An end user (for example, a teacher) may use an embedded search link document to retrieve search results from a site catalog. The end user opens the embedded search link document, and accesses a search link, which may appear as an ordinary hyperlink. The search engine then retrieves all documents matching the search criteria specified for that search link. If any preferred links are associated with the embedded search link, the preferred links are displayed on the top of the results list, or otherwise indicated as preferred to the end user. Since the results are returned by the search engine, the user may either follow a link or alter the author devised search to get a different result set. Note that in the exemplary embodiment of the invention the preferred links are not applied when the search is altered by the user.

30 In the exemplary embodiment, teachers may use the Lesson Connection Search feature to retrieve additional possible lesson plans. The Lesson Connection Search presents a teacher with a simple, online user interface for rapid retrieval of HTML documents containing information relevant to selected topics. A teacher may specify a subject,

35

5 topic, keyword, and target grade level in order to initiate a search. The Lesson Connection Search interface then retrieves a set of Web pages corresponding to the search criteria, and presents the teacher with a hyperlinked list containing the retrieved pages. The teacher may then freely browse each page for relevance.

10 That the invention improves over the drawbacks of prior document classification systems and accomplishes the advantages described above will become apparent from the following detailed description of the embodiments and the appended drawings and claims.

15 **BRIEF DESCRIPTION OF THE DRAWINGS**

Fig. 1 is a block diagram of a personal computer that provides an exemplary operating environment for an embodiment of the present invention.

20 Fig. 2 is a system diagram of an exemplary embodiment of the present invention.

Fig. 3 depicts a screen display in accordance with an embodiment of the present invention.

Fig. 4 depicts a screen display in accordance with an embodiment of the present invention

25 Fig. 5 depicts a screen display in accordance with an embodiment of the present invention

Fig. 6 depicts a screen display in accordance with an embodiment of the present invention.

30 Fig. 7 is a logic flow diagram of a flowchart illustrating a method for creating an embedded search link document.

Fig. 8 depicts a screen display in accordance with an embodiment of the present invention.

Fig. 9 depicts a screen display in accordance with an embodiment of the present invention.

5 DETAILED DESCRIPTION

General Summary of the Embodiment

10 The present invention may be embodied in an embedded search link document generation system that is generally directed to a method and system for building and using a search enabled curriculum standards document. Although the specific example of a search enabled curriculum standards document will be discussed, many types of embedded search link documents may be created through the use of the current invention. For example, an alternate embodiment may permit a user to create an embedded search link document listing all available
15 songs performed by a certain artist from a music catalogue, or all books corresponding to a Dewey Decimal number within a library, and so on. The results of the search may be any type of resources and need not be documents. In the exemplary embodiment, two end users are targeted by the invention: curriculum administrators (administrators) and teachers.

20 An administrator may create a search-enabled curriculum standards document for discovery and use by teachers. Curriculum standards documents (CSD) are commonly used by administrators to define learning objectives by subject for students in a given grade, and may serve as the basis for developing lesson plans for use by teachers. CSDs may be organized according to a taxonomy developed by the Gateway to Educational Materials Committee, colloquially referred to as "GEM." GEM breaks each CSD and attendant lesson plan up by subject, topic, and grade level. The subject of a lesson plan is also referred to as L1 (level one), and is the broadest categorization of the
25 document. The topic is also referred to as L2 (level 2 topic) in this embodiment of the GEM system, and is a subcategory of the subject. Each L1 entry has multiple L2 entries. Finally, the grade level dictates a specific grade or range of grades to which a lesson plan corresponds. A list of GEM L1 and L2 topics is shown in Appendix A.

30 Curriculum standards documents are search-enabled through the use of a wizard. The wizard initially prompts an administrator to open an

5 HTML-formatted curriculum standards document in an editing pane. Once the CSD is loaded, the administrator may add and manipulate search links. Search links connect the CSD to a dynamic search results list. That is, the clicking the search link initiates a new search with each click, rather than directing a user to an unchanging, stored list of results.

10 A search link is generated by customizing the relevant search parameters. On a general level, the wizard permits an administrator to tailor a search by selecting a topic from a list of classroom subjects; target grade levels; and specific keywords describing the curriculum objective (note that in other applications different metadata may be used
15 with a similar approach). Once the search link parameters are specified, the search engine finds documents meeting the search criteria from a catalog that was built by crawling World Wide Web sites. The results list is returned to the administrator, who may designate certain links as preferred links. Preferred links typically lead to lessons that best reflect
20 the stated learning objectives. These preferred links will be compressed and stored in the CSD, and when viewed in the form of search results show up at the top of the search results list. Similarly, the search criteria are compressed and stored along with the CSD, so that later users clicking on a search link may initiate the search intended by the
25 administrator.

More specifically, the search engine conducts its crawl according to a specified subject and crawl depth. The subject corresponds to the topic selected by the administrator, while the crawl depth is an expression of how far out from a given document the engine should
30 search. Crawl depth is limited by both number of site jumps and number of link jumps the engine may initiate before terminating the search.

Once documents are located by the engine, all HTML, PDF, and Microsoft OFFICE documents are parsed. The URL, document title, text, and document description for each discovered document is
35 retrieved. These retrieved sites are compiled into a searchable catalog. A Boolean filter is constructed to analyze each page of the catalog, in

5 order to determine which pages contain information valuable to the proposed lesson plan. Words contained in the Boolean filter may be either positive or negative.

10 Positive words identify documents that may be of use in a lesson plan, while negative words indicate false hit documents. These positive and negative words are organized into logical groups that identify characteristics. Each group is run through a query analyzer to determine which groups exclude the largest number of documents contained in the catalog. Groups are analyzed in order of filtering impact. Every term in a group is individually analyzed for inclusion or exclusion of a document
15 based on its presence within the document. In particular, "boundary" documents which are included or excluded by a single term are evaluated in order to assess the validity of that term. This process may be filtered and repeated until a final result set is generated and presented to the administrator, who may then include the results in a search link as
20 detailed above.

Once the final CSD is prepared and saved in an HTML format, it is published as a Web page by the administrator. This permits proper functioning of the search links, as well as possible retrieval by a teacher using the Lesson Connection Website.

25 In addition to using curriculum standards documents prepared by administrators using the wizard, teachers may use the Lesson Connection Search feature to retrieve additional possible lesson plans. The Lesson Connection Search presents a teacher with a simple, online user interface for rapid retrieval of HTML documents containing information relevant
30 to selected topics. A teacher may specify a subject, topic, keyword, and target grade level in order to initiate a search. The Lesson Connection Search interface then retrieves a set of Web sites corresponding to the search criteria, and presents the teacher with a hyperlinked list containing the retrieved sites. The teacher may then freely browse each site for
35 relevance.

5 Exemplary Operating Environment

Fig. 1 and the following discussion are intended to provide a brief, general description of a suitable computing environment in which the invention may be implemented. While the invention will be described in the general context of an application program that runs on an operating system in conjunction with a personal computer, those skilled in the art will recognize that the invention also may be implemented in combination with other program modules. Generally, program modules include routines, programs, components, data structures, etc. that perform particular tasks or implement particular abstract data types. Moreover, those skilled in the art will appreciate that the invention may be practiced with other computer system configurations, including hand-held devices, multiprocessor systems, microprocessor-based or programmable consumer electronics, minicomputers, mainframe computers, and the like. The invention may also be practiced in distributed computing environments where tasks are performed by remote processing devices that are linked through a communications network. In a distributed computing environment, program modules may be located in both local and remote memory storage devices.

With reference to Fig. 1, an exemplary system for implementing the invention includes a conventional personal computer 20, including a processing unit 21, a system memory 22, and a system bus 23 that couples the system memory to the processing unit 21. The system memory 22 includes read only memory (ROM) 24 and random access memory (RAM) 25. A basic input/output system 26 (BIOS), containing the basic routines that help to transfer information between elements within the personal computer 20, such as during start-up, is stored in ROM 24. The personal computer 20 further includes a hard disk drive 27, a magnetic disk drive 28, e.g., to read from or write to a removable disk 29, and an optical disk drive 30, e.g., for reading a CD-ROM disk 31 or to read from or write to other optical media. The hard disk drive 27, magnetic disk drive 28, and optical disk drive 30 are connected to the

5 system bus 23 by a hard disk drive interface 32, a magnetic disk drive interface 33, and an optical drive interface 34, respectively. The drives and their associated computer-readable media provide nonvolatile storage for the personal computer 20. Although the description of computer-readable media above refers to a hard disk, a removable
10 magnetic disk and a CD-ROM disk, it should be appreciated by those skilled in the art that other types of media which are readable by a computer, such as magnetic cassettes, flash memory cards, digital video disks, Bernoulli cartridges, and the like, may also be used in the exemplary operating environment.

15 A number of program modules may be stored in the drives and RAM 25, including an operating system 35, one or more application programs 36, a web browser program 37, and program data 38. A user may enter commands and information into the personal computer 20 through conventional input devices, including a keyboard 40 and
20 pointing device, such as a mouse 42. Other input devices (not shown) may include a pen, touch-operated device, microphone, joystick, game pad, satellite dish, scanner, or the like. These and other input devices are often connected to the processing unit 21 through a serial port interface 46 that is coupled to the system bus, but may be connected by other
25 interfaces, such as a game port or a universal serial bus (USB). A display screen 47 or other type of display device is also connected to the system bus 23 via an interface, such as a video adapter 48. In addition to the display screen 47, personal computers typically include other peripheral output devices (not shown), such as speakers or printers.

30 The personal computer 20 may operate in a networked environment using logical connections to one or more remote computers, such as a remote computer 49. The remote computer 49 may be a server, a router, a peer device or other common network node, and typically includes many or all of the elements described relative to the personal
35 computer 20, although only a memory storage device 50 has been illustrated in Fig. 1. The logical connections depicted in Fig. 1 include a

5 local area network (LAN) 51 and a wide area network (WAN) 52. Such networking environments are commonplace in offices, enterprise-wide computer networks, intranets and the Internet.

When used in a LAN networking environment, the personal computer 20 is connected to the LAN 51 through a network interface 53.

10 When used in a WAN networking environment, the personal computer 20 typically includes a modem 54 or other means for establishing communications over the WAN 52, such as the Internet. The modem 54, which may be internal or external, is connected to the system bus 23 via the serial port interface 46. In a networked environment, application
15 programs depicted relative to the personal computer 20, or portions thereof, may be stored in the remote memory storage device. It will be appreciated that the network connections shown are exemplary and other means of establishing a communications link between the computers may be used.

20 Operation Of The Embedded Search Link Document Generation System

Fig. 2 displays the embedded search link document generation system 10. Briefly described, the embedded search link document generation system 10 permits a user to create search links which, when
25 accessed, initiate data queries in order to return information relevant to the subject of the queries. These search links may then be embedded in a document, such that when a user accesses the link within the document, the results are seamlessly returned, rather than forcing a user to access a distinct web browser or other program in order to initiate a search on a
30 topic contained within the document.

In the exemplary embodiment, the embedded search link document generation system 10 consists of a remote server 11 and a local client 12. The remote server 11 initiates searches and classifies search results, while the local client 12 serves as a document editor and
35 user interface. Typically, the remote server is located on a remote

5 computer and the local client is located on the user's computer, although this may vary in alternate embodiments.

10 The remote server **11** further consists of a request handler **8**, a search engine **15**, a Boolean filter **17**, a site catalog **18**, and a set of search catalogs **19**. The request handler **8** receives search requests and search criteria from the local client **12**, and translates these requests into a format accessible by the search engine **15**. The search engine **15** processes search requests initiated by the search criteria dialogue **14** and passed on by the request handler **8**. Depending on the nature of the search request, the search engine may either retrieve relevant documents from the Internet, or retrieve relevant documents from the site catalog **18**. The site catalog **18** is essentially a compilation of all documents found by the search engine **15** and determined by the Boolean filter **17** to be relevant to potential search requests received from the search criteria dialogue **14**. In alternate embodiments, the search engine **15** may be a third party search engine located outside the remote server **11**. For example, many freely available World Wide Web search engines may perform the tasks described with respect to the search engine **15**. Note also that the functions attributed to the remote server **11** may be distributed across one or more computers in alternate embodiments. For example, the search catalog **19** and site catalogs **18** may be located on a remote web server, while the boolean filter **17** and search engine **15** remain on the remote server.

30 Each time the search engine **15** searches the Internet, the Boolean filter **17** analyzes the search results, and compiles all relevant documents into a search catalog **19**. The individual search catalogs **19** are stored in the remote server **11** and are further classified into a series of site catalogs **18**, so that search results may be quickly and easily retrieved without necessitating additional Internet searches.

35 The local client **12** consists of a search criteria dialogue **14** and a document editor **16**. The search criteria dialogue and document editor may be contained within a wizard **13**, although this is not necessary.

5 Similarly, the document editor **16** typically contains some form of document viewer **9**, although standalone web browsers may also serve as document viewers. As with the remote server **11**, the functionality ascribed to the local client **12** may be distributed across multiple computers. For example, the wizard **13** may be contained on a document
10 author's computer, while the document viewer **9** may be on yet another computer and used by a third party.

The wizard **13** provides a convenient structure for creating an embedded search link document. Generally speaking, a user may load a document into the document editor **16** in order to review the document
15 and choose search link insertion points. Once the user determines the proper position for a search link, he may employ the search criteria dialogue **14** to specify the parameters which the search link will observe, and to retrieve a list of potential responses to the proposed search link's query. As mentioned above, the exemplary embodiment retrieves the
20 potential responses by passing the search link criteria to a request handler **8**, which in turns determines what results located in the site catalogs **18** match the criteria. Alternate embodiments may retrieve potential responses directly from the Internet.

Once the embedded search link document system **10** presents the
25 user with a list of potential responses, the user may select preferred links from within the list, and may insert search links into the document as desired. The concepts of preferred links, search links, and document editing are further discussed below.

30 Creating a Search Catalog

The first step in creating an embedded search link document within the embedded search link document generation system **10** is to refine a search catalog **19**. The embedded search link document generation system **10** initially creates a search catalog through the use of
35 a search engine **15**. Once the search catalog is created, future searches simply poll the search catalog for results, rather than continuously

5 sampling unknown World Wide Web sites. Thus, the search catalog **19** serves to minimize the length of time required to initiate a search, as well as providing quality control over search results, insofar as the contents of the search catalog may be monitored and altered by a user in order to eliminate marginally useful documents.

10 In order to create a search catalog **19**, the search engine **15** initially downloads a number of Internet sites, starting at central “hub sites” and working outward through the use of World Wide Web or other Internet links. This process is typically referred to as “crawling” the Web. In the exemplary embodiment, the search engine retrieves and processes all
15 discovered HTML, Adobe ACROBAT (.PDF extension), and Microsoft OFFICE documents in order to create the search catalog **19**, although alternate embodiments may allow different file formats to be processed. For example, text files, sound files or image files may also be processed by an embodiment of the embedded search link document generation
20 system **10**.

“Hub sites” are Web sites that index various contents. That is, hub sites contain multiple links to other Web sites. In order to qualify as a hub site, a Web site must contain at least one link to another Web site which is of relevance to a particular lesson plan. Thus, for example, a
25 Web site containing multiple links detailing different styles of painting and artists within each style may be a hub site, while a Web site containing a set of comic book links may not. Hub sites may either be found through the independent operation of the search engine **15**, or may be retrieved by inputting a query into a traditional, existing World Wide
30 Web search engine. For example, the search engine **15** may crawl across various links until a specific number of hub sites are located, or may pass along a user’s query to an existing Web search engine, and determine the location of various hub sites from the results returned. Note that, throughout this discussion, the term “web site” is intended to encompass
35 not only HTML-enabled Internet pages, but also any file that may be retrieved by the search engine during its crawl. For example, Adobe

- 5 ACROBAT and Microsoft OFFICE documents are embraced within the meaning of the term “web site” as used herein.

Once a hub site is identified, the embedded search link document generation system **10** determines a “subject” and a “crawl depth” for each hub site. The subject is derived from the main content of the hub site (or its constituent links), and is one of the L1 level GEM entries. For example, a hub site may have an associated “Mathematics”, “Art”, or “History” subject. The “crawl depth” for a hub measures how far the search engine **15** should travel in search of relevant information. Crawl depth is made up of two separate parameters, a site jump number and a link jump number. The site jump number states how many unique top level domains may be accessed before terminating the search. Similarly, the link jump number indicates how many sites within a top level domain may be viewed before a search terminates. Each is a single number. For example, the search engine **15** might take the following path to retrieve a document relating to the concept of “adding fractions”:

- a. From hub “abc.com” to site “math.com”;
- b. From site “math.com” to site “addition.com”;
- c. From main site “addition.com” to sub-site “addition.com/fractions.”.

25 This would constitute two site jumps (steps a. and b.), and one link jump (step c.) If the crawl depth specified a site jump number of 1, then the search would terminate after step a, and the site “addition.com/fractions.” would not be located.

30 Creating a Site Catalog

Once retrieved, the various web sites comprising the search catalog **19** are compiled into a searchable form by the remote server **11**. the embedded search link document generation system **10** converts the file format of all retrieved documents within the search catalog **19** to a default format, readable by the remote server **11**. Ultimately, each page within the search catalog **19** will either be discarded, or assigned to a site

5 catalog **18** corresponding to a particular subject and grade level. The
 Boolean filter **17** may analyze each page within a search catalog
 individually. The Boolean filter may further be refined through expert
 analysis and classification undertaken by a site administrator, who may
 adjust the values and terms analyzed by the filter to match his
 10 preferences.

The Boolean filter's objective is to eliminate documents which
 may strictly match the search parameters, but which are unlikely to yield
 information useful in the context of a lesson plan. For example, a lesson
 plan involving history may focus on George Washington's camp at
 15 Valley Forge. Depending on the search parameters, documents such as
 an online brochure for the Valley Forge chamber of commerce may be
 retrieved. The Boolean filter **17** attempts to separate actual lesson plans
 from commercial web sites, standards documents, college thesis papers,
 magazine articles, and other documents of minimal relevance.

20 Initially, the Boolean filter **17** performs a heuristic search of all
 lesson plans in order to determine what words identify lessons (positive
 words), and what words identify other types of documents (negative
 words). For example, the Boolean filter **17** may determine that the
 phrase "students will" identifies a lesson plan. Similarly, the Boolean
 25 filter may determine that the phrases "customer service" and "mission
 statement" indicate irrelevant documents that may be excluded when
 returning search results.

The Boolean filter **17** then groups positive words and negative
 words within logical groups. In the exemplary embodiment, the
 30 following logical groups exist:

True_Lessons
 True_Body
 True_Student
 False_College
 35 False_Commercial1
 False_Commercial2

5 False_Form
 False_HubSite
 False_Message
 False_Outline, and
 False_Standards.

10 For a document to be relevant to a search, it must contain at least one term found within each true group, and no terms found within a false group. In other words, a document is only potentially relevant (and therefore included in the site catalog **18**) if at least one true term exists, and no false terms exist within the document.

15 In Boolean algebra, the final query is of the form $(A_1+A_2+...+A_N)(B_1+B_2+...+B_3)...!(F_1F_2...F_N)...$, where A and B are truth terms and F is a set of rejection terms. The data may be inverted for a particular term or group using common Boolean algebra (e.g. DeMorgan's laws).

20 The Boolean filter **17** may then determine which of the groups excludes the greatest number of documents. Each group is then individually analyzed on a term-by-term basis, in order to determine whether a specific term is incorrectly including documents which should be ignored, or incorrectly excluding documents which are potentially
 25 relevant. Documents are then excluded by group. In the event that a document is incorrectly excluded, a user may revise the group which excluded the document by eliminating a particular filtering term (in the case of a false group) or adding a particular filtering term (in the case of a true group) in order to correct the Boolean filter **17**. Terms which
 30 minimally impact this refining process are eliminated from all groups, in order to maintain a manageable filter size.

 The Boolean filter results are then further filtered according to subject and grade range. Each potentially relevant document will be assigned a subject and a grade range, and will be placed in the
 35 corresponding site catalog **18**. One site catalog exists for each combination of subject and topic. By contrast, a search catalog is created

- 5 every time a new search is initiated. The set of site catalogs serves as the search basis for users accessing search links within an embedded search link document.

Creating an Embedded Search Link Document

10 Once the embedded search link document generation system **10** creates a set of site catalogs **18**, a user may begin the process of creating an embedded search link document. In the exemplary embodiment, the user begins this process by running or otherwise accessing the wizard **13**.

15 The wizard **13** walks the user through the process of creating and inserting search links by presenting a series of screens to the user, each with different functionality. Each screen of the wizard **13** will be discussed in turn, and an ongoing example will be used to illustrate the processes associated with the various screens.

20 Fig. 3 displays the open file screen **200**. From this screen, a user may select the document into which he wishes to embed search links. This document is referred to as the “genesis document”. The open file screen **200** includes a file path box **210**, a browse button **220**, and a next button **230**. The user enters the location from which he wishes to retrieve the genesis document (in this example, a CSD) in the file path box **210**. Alternately, the user may locate the CSD by pressing the browse button **220**. Pressing the browse button opens a new window displaying the file path specified in the file path box **510**, and showing all files present at this location. In the exemplary embodiment, the user is also provided with a graphical means for moving about the file structure in order to specify the location from which to open a document. Once the document to be edited is located, the user depresses the next button **230** to enter the file editing screen.

30 Fig. 4 displays the file editing screen **300**. In the exemplary embodiment, the file editing screen is accessed through the wizard **13** and embodies the document editor **16**. The file editing screen consists of an editing pane **310**, a “create link” button **320**, an “edit link” button

5 **330**, a “delete link” button **340**, and a “test link” button **350**. When a user first accesses the file editing screen **300** in the exemplary embodiment, the text cursor is present in the upper leftmost corner of the editing pane **310**. This signifies that the embedded search link document generation system **10** is prepared to edit the chosen document. In our
 10 example, the embedded search link document generation system **10** displays the mathematics curriculum standards document chosen by the user in the editing pane **310**.

When the cursor is placed above the editing pane **310**, it becomes a standard text cursor, or “I-bar” cursor. When the user clicks a space
 15 inside the editing pane, the embedded search link document generation system **10** inserts a blinking cursor at the point selected. In the exemplary embodiment, right-clicking within the editing pane **310** will activate the contextual menu, as discussed below.

The user may select text displayed within the editing pane **310**,
 20 with any inserted search links **360** being treated as text for selection purposes. Text may then be edited in a manner similar to that of a basic word processor.

If the user single clicks a search link **360**, the search link will be selected. The user may then “drag and drop” the search link. A user
 25 performs a drag and drop operation by selecting a search link **360**, holding down the mouse button, moving the cursor and releasing the mouse button. If the user terminates a drag and drop operation outside the editing pane **310** while a search link **360** is selected, the embedded search link document generation system **10** will generate a dialogue box
 30 requesting that the user confirm search link deletion. That is, dragging and dropping a search link **360** outside the editing pane will result in deletion of the search link. Double clicking a search link initiates the edit dialogue, while double clicking a blank space within the editing pane initiates the insert dialogue for the double clicked area. The edit
 35 dialogue and insert dialogue are discussed below.

5 Four buttons control the creation and use of search links within the
embedded search link document generation system **10**. These buttons
are displayed on the left-hand side of the file editing screen **300**, and are
respectively the “create link” button **320**, the “edit link” button **330**, the
“delete link” button **340**, and the “test link” button **350**. Each button is
10 enabled under different circumstances. The “create link” button is
always enabled if a cursor is present within the editing pane **310**. The
“edit link” button is only enabled when the user has selected a single
link, either standing alone or within a block of text. The “delete link”
button is enabled when anything within the editing pane is selected,
15 whether that be text, a link, or both.

The “create link” button **320**, when depressed, initiates the search
criteria dialogue. If the “create link” button is pressed while text is
selected within the editing pane **310**, then the embedded search link
document generation system **10** will initiate the search criteria dialogue
20 with the intent of placing a search link **360** at the present location of the
cursor.

Alternately, if the “create link” button is pressed while text within
the editing frame is selected (but no link is selected), the search criteria
dialogue will still appear, but when completed the embedded search link
25 document generation system **10** will place a search link **360** on a new
line below the selected text, rather than at the same point as the cursor.

The “edit link” **330** button also calls the search criteria dialogue
when depressed, but not for the purpose of creating a new search link
360. Rather, the “edit link” button is active only when an existing
30 search link is selected. This permits a user to change the search criteria
associated with a given search link **360**.

The “delete” button **340** may remove any highlighted text or
search links **360** when depressed.

Depressing the “test link” button **350** while a search link **360** is
35 selected will perform the search associated with the search link, and
display the results. Thus, the “test link” button **350** may be used to gain

- 5 an idea of what an end user clicking in a specific search link **360** may see in terms of results.

As mentioned above, the contextual menu appears when the user right-clicks a mouse button within the editing pane **310**. The contextual menu contains menu items corresponding to the “create link”, “edit link”, “delete”, and “test link” buttons. Each menu item performs the same operations as the corresponding buttons detailed above.

Creating a Search Link- The Search Criteria Dialogue

A user of the embedded search link document generation system
 15 **10** creates a search link through the search criteria dialogue **140**, as shown in Fig. 5. The search criteria dialogue **140** permits a user to specify various search parameters used by the search engine **15** when crawling for relevant documents, and embodies the search criteria dialogue **14** shown on Fig. 2. In the exemplary embodiment, the search
 20 criteria dialogue contains five search parameters: subject, topic, keywords, minimum grade, and maximum grade. Each requires a user-specified value in order to successfully create a link, and each will be discussed in turn. Alternate embodiments may contain different search criteria.

25 The subject box **410** contains a drop-down list of all GEM approved subject (L1) entries, except the “All” subject. The GEM L1 entries are: Arts; Educational Technology; Foreign Language; Health; Language Arts; Mathematics; Philosophy; Physical Education; Religion; Science; Social Studies; and Vocational Education. The “All” subject
 30 encompasses every one of the twelve previously enumerated subjects.

Similarly, the topic box **420** contains a drop-down list of all topics associated with the subject shown in the subject box **410**. Thus, the contents of the topic box drop-down menu change according to the contents of the subject box. Additionally, the topic box **420** contains a
 35 “none of these” entry, which permits the user to ignore the topic classification if necessary. Alternate embodiments may contain an “all

- 5 of these” entry in the topic box in order to permit the selection of all topics.

The keywords box **430** accepts text input from a user, rather than providing a pull-down menu. The embedded search link document generation system **10** uses the text input as a filter. For a document to
10 satisfy the search criteria, any text in the keywords box **430** must also be present in the document. A user may input phrases by placing the phrase within quotation marks.

Grade levels for a search are specified through the use of a minimum grade box **440a** and a maximum grade box **440b**. Both the
15 minimum grade box and the maximum grade box contain a drop down menu listing all grades from first grade through twelfth grade. If both the minimum grade box **440a** and the maximum grade box **440b** are set to the same number, then only documents suitable for a single grade will be returned. Otherwise, all documents suitable for any grade between
20 those specified in the minimum grade box and the maximum grade box which also meet all other search criteria will be returned.

Once all search criteria are specified, the user may initiate a test search. The test search button **450**, when depressed, instructs the search engine **15** to search the site catalog **18** for all documents meeting the
25 parameters specified in the search criteria dialogue **140**. This process is more thoroughly discussed with respect to Fig. 7.

Once all relevant documents have been retrieved, the embedded search link document generation system **10** presents the documents to the user. This permits the user to see what results will be generated by a
30 third party accessing a search link **360** with parameters corresponding to those specified in the search criteria dialogue **140**. Additionally, the user may designate one or more results as “preferred links.” Briefly, a preferred link will always be returned at the top of the results list generated for the search link corresponding to the designated preferred
35 link. The concept of preferred links is more thoroughly discussed with respect to Fig. 7.

Finally, the “insert link” button **460** allows a user to create a search link **360**. The newly created search link is inserted into the document being edited wherever the cursor is located within the editing pane **310**. Any time the search link is accessed by a user, the embedded search link document generation system **10** initiates a search of the site catalog **18** through the search engine **15**, with parameters corresponding to those specified in the search criteria dialogue **140** at the time the link was created. Thus, slightly different results may be returned each time a user accesses a search link, depending on what documents constitute the site catalog **18** at any given moment. Preferred links associated with a search link **360** will always be returned in the results list, however.

Saving a Link-Enabled Curriculum Standards Document

Fig. 6 displays the save screen **500**. A user may save the embedded search link document (in our example, an HTML-formatted CSD) from this screen in order to preserve any search links **360**.

The save screen **500** includes a file path box **510**, a save button **520**, and a save as button **530**. The user enters the location to which he wishes to save the CSD in the file path box **510**. Once entered, the user may save the document to this location by pressing the save button **520**. Alternately, the user may save the CSD with a different filename, or in a different location, by pressing the save as button **530**. Pressing the save as button opens a new window displaying the file path specified in the file path box **510**, and showing all files present at this location. In the exemplary embodiment, the user is also provided with a graphical means for moving about the file structure in order to specify a new save location.

Logical Operation Of The Embedded Search Link Generation Routine

Fig. 7 displays a flowchart depicting the logical operation of the embedded search link generation routine. This routine is carried out

5 whenever a user creates a search link **360** from the search criteria dialogue **140**, or when a user initiates a test search through the use of the test search button **450**.

The routine begins in start state **700**. From start state **700**, step **705** is accessed, wherein the embedded search link document generation
10 system **10** opens a curriculum standards document. The CSD is presented to the user in the editing pane **310**.

In response to user input indicating that the user wishes to edit or create a search link **360**, step **707** is accessed. In step **707**, the embedded search link document generation system **10** displays the search criteria
15 dialogue **140**. The user may then specify his desired search parameters, as shown in step **710**. The various search parameters implemented in the exemplary embodiment has been thoroughly discussed with respect to Fig. 5.

Following step **710**, step **715** is accessed, wherein the search
20 engine **15** begins the specified search. The process comprising the search for relevant documents fulfilling the search criteria is shown in steps **720** through **733**. In step **720**, the search engine examines a document within the site catalog **18** to determine whether the document matches the user-specified subject. If not, then step **733** is accessed. If
25 so, then step **725** is entered. In step **725**, the search engine **15** determines whether the document being examined matches the topic specified in the topic box **420** of the search criteria dialogue **400** (shown in Fig. 5). If no match exists, then step **733** is entered. If, however, the document satisfies the topic criterion, then step **730** is entered. In step **730**, the
30 search engine examines the document to determine whether the information contained therein is appropriate for the grade range specified in the search criteria dialogue **400**. If the document falls between the minimum grade and the maximum grade selected, then step **732** is accessed and the embedded search link document generation system **10**
35 adds the document to the results list. Otherwise, step **732** is skipped and step **733** is executed.

5 In step **733**, the search engine **15** determines whether any more documents exist to be searched in the site catalog **18**. If so, then steps **720** through **732** are repeated. Otherwise, the search subroutine ends and step **735** is accessed.

10 In step **735**, the embedded search link document generation system **10** presents the results of the search subroutine to the user. In the exemplary embodiment, the results are compiled into a results list and presented in a separate window on the display screen **47**, although alternate embodiments may present results individually, or within the same window containing the curriculum standards document. Once the
15 user receives the results list in step **735**, step **740** is accessed.

In step **740**, the embedded search link document generation system **10** awaits user selection of preferred links. A user may designate any or all of the links presented in the results list as a “preferred link.” Preferred links differ from ordinary search results in two ways. First,
20 preferred links are displayed at the top of any results list generated in response to an end user accessing a search link. Second, the document to which a preferred link leads is compressed and saved with the parent CSD.

After step **740**, step **745** is accessed. In step **745**, the user may
25 create a search link **360** embodying the search parameters shown in the search criteria dialogue **400**. A user creates a search link in the exemplary embodiment by pressing the “insert link” button **460** in the search criteria dialogue **400**. The embedded search link document generation system **10** inserts an HTML-formatted hyperlink in the CSD
30 at the location of the cursor in the editing pane **310**. Step **750** is then entered.

In step **750**, the embedded search link document generation system **10** determines whether any preferred links are attached to the search link **360**. If not, then step **755** is accessed. If one or more preferred links
35 have been designated, then step **760** is entered. In step **760**, the embedded search link document generation system **10** compresses and

5 saves the preferred search links (as document URLs) . This ensures that whenever the search link **360** is accessed, the preferred links will be returned as part of the results set regardless of whether the site catalog **18** has been updated since the search link was created. Step **755** is entered next.

10 In step **755**, the search query is compressed and saved as a portion of the CSD. By saving the search query, later users accessing the newly created search link **360** will activate a search employing the same parameters originally specified by the link creator (or, the present user) in the search criteria dialogue **400**. This ensures that later users will
 15 retrieve results from the site catalog **18** according to the link creator's wishes. Note that the results seen by a later user may vary in terms of actual documents retrieved from the site catalog, because the site catalog is periodically updated. These updates may eliminate some records, and add others. Thus, the specific documents can vary widely. Following
 20 step **755**, end state **765** is entered and the routine terminates.

End Use of an Embedded Search Link Document

Once the embedded search link document generation system **10** creates an embedded search link document, end users may access and use
 25 the document. In order to make the results referenced by search links in the embedded search link document readily available to end users of the exemplary embodiment, the end user must be able to access the Internet. That is, in order to properly employ embedded search links, an end user of the embedded search link document typically opens the document in a
 30 web browser on a computer connected to the Internet. This permits the search links to properly access the site catalog **18** in order to execute embedded searches.

Fig. 8 displays an end user view of the results of accessing an embedded search link. In the exemplary embodiment, the site catalog **18**
 35 is located on a remote computer. When an end user clicks or otherwise accesses an embedded search link **360**, the embedded search link

document generation system **10** contacts the remote computer and passes search criteria to the search engine **15**, which in turn retrieves all matching records **810** from the site catalog **18**. These records are returned to the local client **12**, and are displayed to the end user. In the event that one or more preferred links are associated with the embedded search link **360**, the returned preferred links **810** are added to the top of the results list before the list is shown to the end user.

Alternately, the creator of the embedded search link document generation system **10** (referred to as the “user” in the above discussion of creating an embedded search link document, insofar as the creator used the embedded search link document generation system **10** to produce the embedded search link document) may publish the document on a third party server designed to collect and store various embedded search link documents. A standalone search criteria dialogue and the links to third party CSDs may be accessed from the Lesson Connection Website, as shown in Fig. 9.

In the exemplary embodiment, the “Microsoft Lesson Connection Website” categorizes lesson plans in the site catalog **18** according to the GEM taxonomy and provides a direct search interface **900** and links to third party CSDs **910** containing embedded search links on third party servers. In this manner, teachers seeking new lesson plans may find matching documents not only by selecting links in locally edited CSDs but also by selecting search links in third party CSDs or by employing a standalone version of the search criteria dialogue **900**, as shown in Fig. 9.

Preferably, access to the Lesson Connection Website is via the World Wide Web, although alternate embodiments may include a search site accessible via ftp, or other Internet protocols well known to those skilled in the art.

Conclusion

The embedded search link document generation system **10** may include additional functionality not herein specifically described. For

15

5 CLAIMS

We claim:

1. A method for creating an embedded search link document, comprising:

- 10 accessing a genesis document;
 specifying a series of search parameters for use within the genesis document;
 retrieving a set of documents from a document source matching the series of search parameters;
15 refining the retrieved set of documents through a filtering function;
 presenting the filtered set of documents to a user; and
 inserting a search link into the genesis document, the search link operative to retrieve a set of documents from the document source when
20 the search link is accessed.

2. The method of claim 1, further comprising:

- compressing and storing as a portion of the genesis document the search parameters; and
25 storing the genesis document as an embedded search link document.

3. The method of claim 2, wherein the embedded search link document is an interactive lesson plan.

30

4. The method of claim 2, wherein the genesis document is a curriculum standards document.

5. The method of claim 1, wherein the search link is operative to
35 retrieve a set of documents from the Internet matching the series of search parameters.

5

6. The method of claim 1, wherein the document source is a site catalog.

7. The method of claim 1, further comprising:

10 selecting at least one of the filtered set of documents as a preferred link; and

compressing and storing as a portion of the curriculum standards document the document URL corresponding to the preferred link.

15 8. The method of claim 1, wherein the embedded search link document is stored on an Internet-accessible computer.

9. The method of claim 8, further comprising retrieving the genesis document from a remote location.

20

10. The method of claim 5, wherein the search link is operative to retrieve a set of documents from the Internet matching the series of search parameters.

25

11. The method of claim 10, further comprising
creating a search catalog from the retrieved set of documents;
storing the filtered set of documents as a site catalog; and
retrieving search results from the site catalog when the search link is accessed.

30

12. The method of claim 3, further comprising:

creating a search catalog from the retrieved set of documents;
storing the filtered set of documents as a site catalog;
remotely retrieving the stored interactive lesson plan;
35 accessing the search link; and

10

14. The method of claim 7, wherein the preferred link is placed first within the returned list.

5 15. A method for creating a site catalog containing documents corresponding to a specific topic, comprising:

specifying a set of search criteria;

retrieving a set of documents from a document source matching the set of search parameters;

10 filtering the set of documents; and

storing the filtered set of documents.

16. The method of claim 15, wherein the search criteria comprise a subject, a topic, a minimum grade level, and a maximum grade level.

15

17. The method of claim 16, wherein the search criteria further include at least one user-specified keyword.

18. The method of claim 16, wherein the subject is a GEM-approved L1 entry, the topic is a GEM-approved L2 entry, the minimum grade level is a number ranging from 1 to 12, and the maximum grade level is a number ranging from 1 to 12.

20

19. The method of claim 16, wherein the document source is the Internet.

25

20. The method of claim 16, wherein the document source is the World Wide Web.

21. The method of claim 16, wherein filtering the set of documents comprises passing all documents through a Boolean filter.

30

22. The method of claim 21, wherein the Boolean filter classifies each of the set of documents based on the presence of positive words and negative words.

35

5 23. The method of claim 22, wherein a positive word identifies a document that may be of use in creating a lesson plan, while a negative words indicates a document that is of no use in creating a lesson plan.

10 24. The method of claim 21, wherein the Boolean filter comprises a query analyzer, operative to analyze each term in each of the set of documents in order to determine the overall filtering impact of the term.

25. The method of claim 15, wherein the site catalog consists of a set of search catalogs, further comprising:

15 creating a search catalog for each possible combination of search criteria; and

storing each of the set of documents in the search catalog corresponding to the combination of search criteria present in each of the set of documents.

20

25

- 5 26. A method for creating an embedded search link document operative to retrieve search results from a remote site catalog and present said search results to a user, comprising:

creating the remote site catalog, comprising:

- 10 specifying a first set of search criteria, comprising a GEM-approved subject, a GEM-approved topic, and at least one user keyword;

retrieving a set of documents from the Internet matching the set of search parameters;

- 15 filtering the retrieved set of documents through a Boolean filtering function;

in response to filtering the retrieved set of documents, removing from the retrieved set of documents all irrelevant documents;

- 20 creating a search catalog for each possible combination of search criteria;

storing each of the set of documents in the search catalog corresponding to the combination of search criteria present in each of the set of documents; and

- 25 creating an embedded search link document, comprising:

loading a curriculum standards document;

specifying a second series of search parameters for use within the curriculum standards document;

retrieving a second set of documents from the remote site catalog corresponding to the series of search parameters;

- 30 refining the retrieved second set of documents through the Boolean filtering function;

in response to refining the retrieved second set of documents, removing from the retrieved set of documents all irrelevant documents;

- 35 presenting the filtered set of documents to a user;

- 5 specifying at least one of the filtered set of documents as a preferred link;
 - compressing and storing the preferred link as a portion of the curriculum standards document; and
 - inserting a search link into the genesis document, the search
- 10 link operative to retrieve a set of documents and the preferred link from the remote site catalog when the search link is accessed.

5 **METHOD AND SYSTEM FOR CREATING AN EMBEDDED
SEARCH LINK DOCUMENT**

ABSTRACT OF THE DISCLOSURE

10 A method and system for creating and using an embedded
search link document. Embedded search link documents are search-
enabled through the use of a wizard. The wizard initially prompts a user
to open an HTML-formatted genesis document in an editing pane. Once
the genesis document is loaded, the user may add and manipulate search
links by customizing the relevant search parameters. The invention
15 permits a user to tailor a search by selecting various search parameters
describing the search objective. Once the search parameters are
specified, the search engine finds documents meeting the search criteria
from a catalog that was built by crawling World Wide Web sites. These
documents are filtered for relevance and compiled into a results list. The
20 documents comprising the results list are placed into one of a set of site
catalogs, depending on which of the search criteria are embodied in the
individual document. The results list is returned to the user, who may
designate certain links as preferred links. These preferred links will be
compressed and stored, and will always show up at the top of the search
25 results list. Similarly, the search criteria are compressed and stored as a
portion of the search link embedded within the genesis document. Once
the user has created all desired search links, the genesis document is
saved as an embedded search link document. Later users may initiate
searches by accessing an embedded search link.

30




FIG. 1

Fig. 2




Fig. 3




Fig. 4




Fig. 5





Fig. 6

500




[illegible]

Fig. 8

Microsoft Lesson Connection - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Refresh Home Search Favorites History Mail Print Edit

Address http://k12.msn.com/LessonConnection/Teacher.asp?PageID=100&L1=Mathematics&L2=Arithmetic&L3=additi Go

msn Click to enter CarPoint's "Win a new Chrysler PT Cruiser" Sweepstakes! msn CarPoint

Microsoft Lesson Connection

Home Teachers Administrators Help

Your State Standards.com

G·E·M
www.thegateway.org

Classroom CONNECT

LEARNING ZONE

Curriculum Standards Online Community

Feedback and Suggestions

Microsoft Lesson Connection Search

Subject: Mathematics Arithmetic

Keywords: addition

Grades: ☒ K-2 ☒ 3-5 ☐ 6-8 ☐ 9-12 GO Help

Recommended lessons found on the Internet

810

- Math Cash**
http://www.mste.wisc.edu/lessons/EP_T87/mrm97.html
Math Cash The Idea Each day students will have the opportunity to earn "math cash" for coming to class on time with their homework completed and for getting to work immediately on the posted warm-up problem. The classroom currency can then be used to provide numerous "real life" examples of the
- Math, Calories and You**
<http://score.kings.k12.ca.us/lessons/calories.html>
SCORE Mathematics Standards Connections Math, Calories and You by Francie Caraker Introduction. Don't we all like to eat and exercise? This lesson makes students aware of how many calories they burn in relation to their own body weight and they get to practice

Other lessons found on the Internet

800

- Grade 2 / Number**
<http://www.tenet.edu/teks/math/clarifying/cateksgrade21.html>
Mathematics Clarifying Activities for Grade 2 Grade 2 Mathematics Knowledge and Skills and Student Expectation statements are listed below with Clarifying Activities. (2.1) Number, operation, and quantitative reasoning. The student understands how place value is used to
- Checkers**
http://www.thegateway.org/lesson/p_113.html
- Welcome - Frequently Asked Questions - List of Collections - Contact Us - Simple Search - Browse Subjects - Browse Keywords - Survey - News and Events - Hot Topic Searches - New Resources @ Copyright 1999 GEM Title

Internet

Fig. 9

Search Criteria

Subject: Topic:

Keywords:

Grades: from to

▼ **How to use these Search Results**

Teachers will view a similar list when they click the search link. To ensure that teachers view the best possible list of lessons:

1. Click the lessons below to read and evaluate them.
2. You may check the boxes next to the best links to designate them as preferred lessons.
3. Use multiple keywords to focus in on the specific learning objective. You can also change the other search criteria to narrow the search.

Note: Click **Help** for more on choosing search criteria.

Repeat the steps above until you are satisfied with the results, then click **Save Search Criteria** to return to your standards document.

Search Results (up to first 50 pages found)

Recommended lessons found on the Internet:

☒ 1. Math Cash
http://www.mste.uiuc.edu/lessons/EP_T97/mm97.html
 Math Cash The Idea: Each day students will have the opportunity to earn "math cash" for coming to class on time with their homework completed and for getting to work immediately on the posted warm-up problem. The classroom currency can then be used to provide numerous "real life" examples of the

☒ 2. Math, Calories and You
<http://score.kings.k12.ca.us/lessons/calories.html>
 SCORE Mathematics Standards Connections Math, Calories and You by Francie Caraker Introduction: Don't we all like to eat and exercise? This lesson makes students aware of how many calories they burn in relation to their own body weight and they get to practice

Other lessons found on the Internet:

☐ 3. Grade 2 / Number
<http://www.tenet.edu/tek5/math/clarifying/cateksgrade21.html>
 Mathematics Clarifying Activities for Grade 2 Grade 2 Mathematics Knowledge and Skills and Student Expectation statements are listed below with Clarifying Activities. (2.1) Number, operation, and quantitative reasoning. The student understands how place value is used to

☐ 4. Checkers
http://www.thegateway.org/lesson/p_113.html
 - Welcome - Frequently Asked Questions - List of Collections - Contact Us - Simple Search - Browse Subjects - Browse Keywords - Survey - News and Events - Hot Topic Searches - New Resources © Copyright 1999 GEM Title: Checkers Note: Click above to connect directly to this resource.

☐ 5. Fundamentals of Multiplication
<http://www.iit.edu/~smile/me9011.html>
 Fundamentals of Multiplication Carl D. Mason Suder School 3625 So

Help **Save Search Criteria** **Hide**

DECLARATION AND POWER OF ATTORNEYAttorney's Docket No. **13237-2565/MS 126599.1**

In re application of Eric McKee Fisk and Dean Alan Slawson as a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name. I believe I am an original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: **"Method and System for Creating an Embedded Search Link Document"** the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I do not know and do not believe that the same was ever known or used by others in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to the date of this application. I further state that the invention was not in public use or on sale in the United States of America more than one year prior to the date of this application. *I understand that I have a duty of candor and good faith toward the Patent and Trademark Office*, and I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(d) of the foreign application(s) for patent or inventor's certificate listed below, and have also identified below any foreign application for patent or inventor's certificate disclosing subject matter in common with the above-identified specification and having a filing date before that of the application on which priority is claimed:

| <u>Application No.</u> | <u>Country</u> | <u>Filing Date</u> | <u>Priority Claimed Under 35 USC §119</u> |
|------------------------|----------------|--------------------|---|
| none | | | Yes _____ No _____ |

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

| <u>none</u> | <u>(Application No.)</u> | <u>(Filing Date)</u> | <u>(Application No.)</u> | <u>(Filing Date)</u> |
|-------------|--------------------------|----------------------|--------------------------|----------------------|
| | | | | |

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter disclosed and claimed in the present application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

| <u>Application Serial No.</u> | <u>Filing Date</u> | <u>Status: patented, pending, abandoned</u> |
|-------------------------------|--------------------|---|
| none | | |


I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statement were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patents issuing thereon.

POWER OF ATTORNEY: The following attorneys are hereby appointed to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: Anthony B. Askew - 24,154; Roger T. Frost - 22,176; Jeffrey E. Young - 28,490; Robert E. Richards - 29,105; Stephen M. Schaetzel - 31,418; Larry A. Roberts - 31,871; Gregory T. Gronholm - 32,415; Dale Lischer - 28,438; Peter G. Pappas - 33,205; James Dean Johnson - 31,771; Daniel J. Warren - 34,272; Leona G. Young - 37,266; Jamie L. Greene - 32,467; Holmes J. Hawkins III - 38,913; Mary Anthony Merchant - 39,771; William L. Warren - 36,714; Brenda Ozaki Holmes - 40,339; James D. Withers - 40,376; Kimberly J. Prior - 41,483; Theodore M. Green - 41,801; Christopher J. Leonard - 41,940; John K. McDonald - 42,860; Michael S. Pavento - 42,985; Suzanne Seavello Shope - 37,933; Sima Singadia Kulkarni - 43,732; A. Shane Nichols - 43,836; Christopher J. Chan - 44,070; John M. Briski - 44,562; Lisa C. Elsevier - 44,669; S. Craig Hemenway - 44,759; Paul E. Knowlton - 44,842; Charles E. Peeler - 45,004; Cheryl L. Huseman - 45,392; Adam Avrunin - 45,457; Shelby B. Grier - 45,785; Vaibhav P. Kadaba - P45,865; M. Todd Mitchem - 40,731; Scott E. Brient - 44,561; David J. Hayzer - 43,329; Katie E. Sako - 32,628; Daniel D. Crouse - 32,022.

Send correspondence to: **JONES & ASKEW, LLP**
2400 Monarch Tower
3424 Peachtree Road, NE
Atlanta, GA 3032.

Direct telephone calls at **(404) 949-2400**

S. Craig Hemenway, Esq.

| | |
|--|---------------------|
| Full name of joint inventor: Eric McKee Fisk | Citizenship: U.S.A. |
| Inventor's signature  | Date: 6/21/00 |
| Residence and Post Office Address: 1635 N. 51 st Street, Seattle, WA 98103 | |

☒ Additional inventors are being named on separately numbered sheets attached hereto.

DECLARATION AND POWER OF ATTORNEY

Attorney's Docket No. 13237-2565/MS 126599.1

In re application of Eric McKee Fisk and Dean Alan Slawson as a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name. I believe I am an original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: "**Method and System for Creating an Embedded Search Link Document**", the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I do not know and do not believe that the same was ever known or used by others in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to the date of this application. I further state that the invention was not in public use or on sale in the United States of America more than one year prior to the date of this application. I understand that I have a duty of candor and good faith toward the Patent and Trademark Office, and I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(d) of the foreign application(s) for patent or inventor's certificate listed below, and have also identified below any foreign application for patent or inventor's certificate disclosing subject matter in common with the above-identified specification and having a filing date before that of the application on which priority is claimed:

| Application No. | Country | Filing Date | Priority Claimed Under 35 USC §119 |
|-----------------|---------|-------------|------------------------------------|
| none | | | Yes _____ No _____ |

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

| none | (Application No.) | (Filing Date) | (Application No.) | (Filing Date) |
|------|-------------------|---------------|-------------------|---------------|
| | | | | |

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter disclosed and claimed in the present application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

| Application Serial No. | Filing Date | Status: patented, pending, abandoned |
|------------------------|-------------|--------------------------------------|
| none | | |

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patents issuing thereon.

POWER OF ATTORNEY: The following attorneys are hereby appointed to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: Anthony B. Askew - 24,154; Roger T. Frost - 22,176; Jeffrey E. Young - 28,490; Robert E. Richards - 29,105; Stephen M. Schaetzel - 31,418; Larry A. Roberts - 31,871; Gregory T. Gronholm - 32,415; Dale Lischer - 28,438; Peter G. Pappas - 33,205; James Dean Johnson - 31,771; Daniel J. Warren - 34,272; Leona G. Young - 37,266; Jamie L. Greene - 32,467; Holmes J. Hawkins III - 38,913; Mary Anthony Merchant - 39,771; William L. Warren - 36,714; Brenda Ozaki Holmes - 40,339; James D. Withers - 40,376; Kimberly J. Prior - 41,483; Theodore M. Green - 41,801; Christopher J. Leonard - 41,940; Christos S. Kyriakou - 42,776; John K. McDonald - 42,860; Michael S. Pavento - 42,985; Suzanne Seavello Shope - 37,933; M. Scott Boone - 42,341; Sima Singadia Kulkarni - 43,732; A. Shane Nichols - 43,836; Christopher J. Chan - 44,070; Collen A. Beard - 38,824; John M. Briski - 44,562; Lisa C. Elsevier - 44,669; S. Craig Hemenway - 44,759; Paul E. Knowlton - 44,842; Charles E. Peeler - 45,004; Cheryl L. Huseman - 45,392; Adam Avrunin - P45,457; Shelby B. Grier - P45,785; Vaibhav P. Kadaba - P45,865; M. Todd Mitchem - 40,731; Scott E. Briant - 44,561; Katie E. Sako - 32,628; Daniel D. Crouse - 32,022.

Send correspondence to: **JONES & ASKEW, LLP**
 2400 Monarch Tower
 3424 Peachtree Road, NE
 Atlanta, GA 30326

Direct telephone calls at (404) 949-2400

S. Craig Hemenway, Esq.

| | |
|---|---------------------|
| Full name of second joint inventor: Dean Alan Slawson | Citizenship: U.S.A. |
| Inventor's signature | Date: 8/21/00 |
| Residence and Post Office Address: 3343 W. Ames Lake Drive, N.E., Redmond, WA 98053 | |